

1
1 1 10KV
1 2
1 3
12.1.3




图12.1.3电缆桥架组装图

1.4 PE PEN :
2 PE PEN
4mm2
2

1 5
1 6
12 2
2 1 :

1.
2.
3.
4.

< 400	1.5
400 800	2.0
> 800	2.5

2mm

M16 2mm
：
± 0.7mm, ± 1mm； ± 1.2mm

7. ：
8. “ CCC ” “ CCC ”


9.

10.

12 3

12 3 1

1. ：



2.

3.

(1) 120mm × 80mm × 6mm 6.3.7.2 6.3.7.2 10mm
(2)

(3)

6.3.7.7

4.

(1) 3mm
(2) 4mm

(3)

4 30mm × 3mm 25mm × 25mm × 3mm

5

6

7 1.5 2m 500mm

8

5.

(1) 1.5 3m 2m 300mm
300 600mm 300mm


1		10D
2		20D
3		10D
4		15D
5		10D

:D


(2) :

12 3 1 5 2-1

12 3 1 5 2-1



12.3.1.5.(2-1)



12.3.1.5.(2-)

(3) :





图12.3.1.5 (4d)异型钢立柱在墙上侧壁安装做法之二



工字钢立柱直立式用固定板做法




图12.3.1.5(4e)立柱底座螺栓做法图




图12.3.1.5(4f)槽钢、角钢立柱悬吊安装

		0.4	0.3
		0.5	0.5
		0.5	0.3
		1.0	0.5

6 :

12 3 1 6 1

2 3 4 5




图12.3.1.6(1)托臂安装示意图




图 1 预埋块安装示意图





图 12. 3. 1. 6 (3) 托臂用膨胀螺栓固定





图 12. 3. 1. 6 (4) 托臂在工字钢立柱上安装





图 12. 3. 1. 6 (5) 托臂在槽钢、角钢立柱上安装

12 3 2

1.

30m

15m

2.

3.

12 3 1 8




图 12.3.1.8 防火隔离段安装图

4. L50 × 50 × 5

12.3.3

1. PE PEN 2 4mm²
- (1) PE PEN 2
- (2) 2
- (3) 2
2. 0.00033Ω Ω
- 0.5Ω

3.

12.2.4-1

高度 (mm) \ 宽度 (mm)	40	50	60	70	75	100	150	200
100	△	△	△	△				
200	△	△	△	△	△	△		
300	△	△	△	△	△	△		
400		△	△	△	△	△	△	
500			△	△	△	△	△	
600				△	△	△	△	
800					△	△	△	
1000						△	△	
1200								△

“ T ”

12.2.4-2

					Q	D	P	R	DP	RQ	T
			J	3K5L 3K6	○	○	○				
	0		TH	3K5L	○	○	○	○			
	1		F1	3K5L 3C3	○	○	○	○	○	○	
	2		F2	3K5L 3C4			○	○	○	○	
	0		W	4K2 4C2	○	○		○	○	○	
	1		WF1	4K2 4C3		○		○	○	○	

: “ ○ ”

6.

2.2.6

2.2.6

< 400	1.5
400 800	2.0
> 800	2.5

2mm

M16 2mm

:
± 0.7mm, ± 1mm; ± 1.2mm

7. :


8. “ CCC ” “ CCC ”

9.


10.

12 3

12 3 1




12.3.1.5. (2-1)



12.3.1.5. (2-)

(3) : 12 3 1 5 3




12.3.1.5. ()

12 3 1 5 3

mm

N()	a		b	c	d	e	f	g	h	i	j	k	l	n()
1	100	400	300	260	190	100	100	100	300	L40×4	120	140	80	3
2	100	400	400	360	290	300	200	100	600	L50×5	220	240	80	4
3	100	400	500	460	390	400	300	200	900	L50×5	260	140	140	5
4	100	400	600	560	490	500	400	300	1200	L56×5	360	240	140	6

(4) :







图12.3.1.5 (4b) 工字钢立柱沿混凝土柱侧壁式安装







图12.3.1.5 (4d)异型钢立柱在墙上侧壁安装做法之二



工字钢立柱直立式用固定板做法




图12.3.1.5(4e)立柱底座螺栓做法图




图12.3.1.5(4f)槽钢、角钢立柱悬吊安装

12 3 1 5 5

		0.4	0.3
		0.5	0.5
		0.5	0.3
		1.0	0.5

6 :

12 3 1 6 1 2 3 4 5




图12.3.1.6(1)托臂安装示意图




图 1 预埋块安装示意图





图 12. 3. 1. 6 (3) 托臂用膨胀螺栓固定




图 12. 3. 1. 6 (4) 托臂在工字钢立柱上安装




图12.3.1.6(5)托臂在槽钢、角钢立柱上安装

- 12 3 2

1.

30m

15m
2.
3.

12 3 1 8




图12.3.1.8防火隔离段安装

- 图

4.

L50 × 50 × 5

12 3 3

1.

(1)

(2)

(3)

2.

0.00033Ω

0.5Ω

3.

PE

PEN

PE

PEN

2

4mm2

2

Ω

:

: